	Approve						
COUNTRY	East Gorman	ngy	•			DATE DIS	TR. 2 Octobe
			Dutan 87at	Cars and De	nressed	NO. OF PA	AGES 2
SUBJECT	Tabulation Center Flat	of Heavy- t Cers	Dury Fiac	OMA GINE PO	probbon		
~! *OF						NO. OF E	NCLS.
PLACE ACQUIRED						CUSTED BELO	DAR.
CATE OF				25X1		SUPPLEM	
INFO.				,		REPORT I	VO.
		•					The second section of the second seco
A 1007 A 27 TO 75							en Se en
THE COCHMENT C	ONTRIES INFORDATION OF PATER, WITHIN THE MEAN!	PECTION THE MATION	AL DECENCIS CHORS 75%	TUIC	IC UNEVA	LILIATED IN	FORMATION
THE FALL OF THE ATTOM OF THE CO.	b. s. code. As Amended	I'M TEARBHIBEIC BY AN UNAHTHODIE ON OF THIS FORM IS F	ED WERSETS IN	Inic) 13 UNLV	POW CD	
EN ME		erene di Art		,			
					_		
	11.4		49 *			•	
		•		4h	istry of	Railroads,	Berlin, a
	count of dicated:	neavy=dury	Hardara	sam sammag	RROIM merce	e un au v	ily 1953 in-
	STAND AGE.						• • • • •
				4 64 - 4			
1.	, Four- and	multi-exl	e heavy-du	ty flatoars	2		
1.						rs	Total
1.	Load	Operation	al Cars	Non-Opera	tional Cs Reserve	Damaged	Total
1 .	Load Canecity	Operation Total	al Cars of which	Non-Opera	tional Cs Reserve	rs Pamaged Cars	Total
	Load Canecity	Operation	al Cars of which	Non-Opera	tional Cs Reserve	Damaged	Total
1 .	Load Canecity	Operation Total	el Cars of which Assigned to Tank Shuttle	Non-Opera	tional Cs Reserve	Damaged	Total
1 ,	Load Canecity	Operation Total	el Cars of which Assigned to Tank	Non-Opera	tional Cs Reserve	Damaged	Total
1 ,	Load Capacity (in tons)	Operation Total Available	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available	tional Cs Reserve Cars	Damaged Cars	
1 ,	Load Capacity (in tons)	Operation Total Available	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available	tional Cs Reserve Cars	Damaged Cars	1201
1 ,	Load Capacity (in tons) 30 = 35 36 = 39	Operation Total Available 616 148	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available	tional Cs Reserve Cars	Damaged Cars 542 137	1201 290
1 ,	Load Capacity (in tons) 30 = 35 36 - 39 40 - 44	Operation Total Available 616 148 156	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105	tional Cs Reserve Cars	Damaged Cars 542 137 96	1201 290 261
1 ,	Load Capacity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49	Operation Total Avmilable 616 148 156 2	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105	tional Cs Reserve Cars	Damaged Cars 542 137 96	1201 290 261 3
1 .	Load Capecity (in tons) 30 = 35 36 = 39 40 - 44 45 - 49 50 - 54	Operation Total Available 616 148 156 2 282	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1	Lional Cara Reserve Cara 43 5 9	542 137 96 1 25	1201 290 261 3 394
ì.	Load Capacity (in tons) 30 = 35 36 = 39 40 - 44 45 - 49 50 - 54 55 - 59	Operation Total Available 616 148 156 2 282 11	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1	tional Cs Reserve Cars	Damaged Cars 542 137 96	1201 290 261 3 394 13
ì.	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64	Operation Total Available 616 148 156 2 282 11 8	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	Lional Cara Reserve Cara 43 5 9	542 137 96 1 25	1201 290 261 3 394
ì.	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69	Operation Total Available 616 148 156 2 282 11 8	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	tional Cs Reserve Cars	542 137 96 1 25	1201 290 261 3 394 13 24
ì.	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79	Operation Total Available 616 148 156 2 282 11 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	Lional Cara Reserve Cara	Damaged Cars 542 137 96 1 25 2	1201 290 261 3 394 13 24
ì.	Load Capecity (in tons) 30 = 35 36 = 39 40 - 44 45 = 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39	Operation Total Available 616 148 156 2 282 11 8 1	el Cars of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	Lional Cars Reserve Cars 43 5 9 87	542 137 96 1 25	1201 290 261 3 394 13 24 1
1.	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100	Operation Total Available 616 148 156 2 282 11 8 1 4 630 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	Lional Cara Reserve Cara	Damaged Cars 542 137 96 1 25 2	1201 290 261 3 394 13 24 1 4
ì.	Load Capecity (in tons) 30 = 35 36 = 39 40 - 44 45 = 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 = 39 90 - 100 more than	Operation Total Available 616 148 156 2 282 11 8 1 4 630 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	Lional Cars Reserve Cars 43 5 9 87	Damaged Cars 542 137 96 1 25 2	1201 290 261 3 394 13 24 1 4
ì.	Load Capacity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 70 - 79 80 - 39 90 - 100 more than	Operation Total Available 616 148 156 2 282 11 8 1 4 630 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	Lional Cara Reserve Cara 43 5 9 87 15 2 32 32 32	542 137 96 1 25 2 1	1201 290 261 3 394 13 24 1 4 1095 40
ì.	Load Capecity (in tons) 30 = 35 36 = 39 40 - 44 45 = 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 = 39 90 - 100 more than	Operation Total Available 616 148 156 2 282 11 8 1 4 630 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	Lional Cars Reserve Cars 43 5 9 87	Damaged Cars 542 137 96 1 25 2	1201 290 261 3 394 13 24 1 4
	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100	Operation Total Available 616 148 156 2 282 11 8 1 4 630 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16	43 5 9 87 	542 137 96 1 25 2 1	1201 290 261 3 394 13 24 1 4 1095 40
	Ioad Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total:	Operation Total Available 616 148 156 2 282 11 3 1 4 630 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16 	43 5 9 87 	542 137 96 1 25 2 1	1201 290 261 3 394 13 24 1 4 1095 40
	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35	Operation Total Available 616 148 156 2 282 11 8 1 4 630 8	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16 465 32 1460 ter, flat cas	43 5 9 87 	542 137 96 1 25 2 1	1201 290 261 3 394 13 24 1 4 1095 40
	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35 36 - 39	Operation Total Available 616 148 156 2 282 11 3 1 4 630 8 1866 gons (depa	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16 465 32 1460 ter, flat cas	43 5 9 87 	542 137 96 1 25 2 1	1201 290 261 3 394 13 24 1 4 1095 40
	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35 36 - 39 40 - 44	Operation Total Available 616 148 156 2 282 11 8 1 630 8 1 1866 gone (depu	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16 465 32 1460 ter, flat cas	43 5 9 87 	542 137 96 1 25 2 1 	1201 290 261 3 394 13 24 1 4 1095 40
	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35 36 - 39 40 - 44 45 - 49	Operation Total Avnilable 616 148 156 2 282 11 8 1 4 630 8 1 1866 gone (depu	of which Assigned to Tank Shuttle	Non-Opera Total Available 585 142 105 1 112 2 16 	43 5 9 87 15 332 32 5231 rs):	542 137 96 1 25 2 1 	1201 290 261 3 394 13 24 1 4 1095 40
	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35 36 - 39 40 - 44 45 - 49 50 - 54	Operation Total Available 616 148 156 2 282 11 8 1 630 8 1 1866 gone (depu	of which Assigned to Tank Shuttle Tank 55	Non-Opera Total Available 585 142 105 1 112 2 16 465 32 1460 ter, flat cas	43 5 9 87 15 332 32 5231 rs):	Damaged Cars 542 137 96 1 25 2 1 133	1201 290 261 3 394 13 24 1 4 1095 40
	Load Capecity (in tons) 30 = 35 36 - 39 40 - 44 45 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35 36 - 39 40 - 44 45 - 49	Operation Total Available 616 148 156 2 282 11 8 1 4 630 8 7 1866 gons (depu	of which Assigned to Tank Shuttle Tank 55	Non-Opera Total Available 585 142 105 1 112 2 16 	43 5 9 87 15 332 32 5231 rs):	542 137 96 1 25 2 1 	1201 290 261 3 394 13 24 1 4 1095 40
	Load Capecity (in tons) 30 = 35 36 = 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35 36 = 39 40 - 44 45 - 49 50 = 54 55 - 59	Operation Total Available 616 148 156 2 282 11 8 1 630 8 1 1866 gone (depu	of which Assigned to Tank Shuttle Tank 55	Non-Opera Total Available 585 142 105 1 112 2 16 	43 5 9 87 15 332 32 5231 rs):	Damaged Cars 542 137 96 1 25 2 1 133	1201 290 261 3 394 13 24 1 4 1095 40 3326 ²
	Load Capecity (in tons) 30 = 35 36 = 39 40 - 44 45 - 49 50 - 54 55 - 59 60 - 64 65 - 69 70 - 79 80 - 39 90 - 100 more than 100 Total: 2. Well-wag 30 - 35 36 = 39 40 - 44 45 - 49 50 = 54 55 - 59	Operation Total Available 616 148 156 2 282 11 8 1 630 8 1 1866 gone (depu	of which Assigned to Tank Cluthe The Tank Cluther Tank Cluth	Non-Opera Total Available 585 142 105 1 112 2 16 	43 5 9 87 15 332 32 5231 rs):	Damaged Cars 542 137 96 1 25 2 1 133	1201 290 261 3 394 13 24 1 4 1095 40

					25X1				
			SECR	et					
									25X1
					w 2 				
		65 69	- Tanana - T	NACT .	W ₁ ·T	œ	436-	420 'Y	
		80 - 89 90 - 100	1 3	- Aller	3	de:	3	1 6	
		more than 100	and the same of	dig. National design of the state of t	entrary arm or make the constraint of the	eth	4	13	
		Total:	35	Com.	12	2	10	47 🖟	
25X1	1.	Comm	ent.				Comment	2. 25X1	
25X1	2.			tal of 3,	123 cers we	ere recor	 de d in Ju ne	o 1953. /part	
			ns in the	periodic	al counts	of freigh	tears oure	cars, the due to the day of count	
		are not re		operating	, ourside n	st ourne.	th on one	ady or serio	
25X1 25X1	3.	Согра	ent. In J	une, a to	tal of 59	cars were	recorded.		25X1
	ſ								25X1
	Ĺ								
								•	

25X1

25X1